# SHADOW BOX



- BY STEPHANIE SHERIDAN
- FINISHED SIZE: 50" X 66"
- PATTERN AVAILABLE IN MAY/JUNE 2021 AT WWW.BENARTEX.COM



#### **CUTTING INSTRUCTIONS**


WOF = Width of fabric | \*Sew strips via short ends, then subcut as indicated in pattern


0 / // / ZTDM	1//					_			
	A	PINS & NEEDLES STRIPE 9952-12 Black	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles		J	MEASURE UP 9955-01 White/Multi	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles
	В	<b>PIN IT</b> 9953-01 <i>Pink</i>	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles		к	MEASURE UP 9955-99 Black/Multi	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles
	C	<b>PIN IT</b> 9953-12 <i>Black</i>	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles		L	COLORFUL SPOOLS 9956-09 White	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles
	D	PIN IT 9953-84 Turquoise	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles		м	COLORFUL SPOOLS 9956-12 Black	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles
	ф Ф Е	BUTTON GEO 9954-01 Pink	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles			3330 12 Black		(3) 10-1/2" x WOF strips,
	F	BUTTON GEO 9954-12 Black	3/4 YD	(6) 1-1/2" X WOF strips *, BORDER (7) 2-1/4" X WOF strips *, BINDING		N	<b>SWIRLING THREADS</b> 9957-09 <i>White</i>	1-1/4 YD	subcut (44) 2-1/2" X 10-1/2" strips (3) 2-1/2" x WOF strips *, BORDER
	G	BUTTON GEO 9954-30 Yellow	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles		Р	<b>SWIRLING THREADS</b> 9957-12 <i>Black</i>	1-1/4 YD	(3) 8-1/2" X WOF strips, subcut (44) 2-1/2" X 8-1/2" strips (3) 2-1/2" X WOF strips, subcut (46) 2-1/2" squares (3) 2-1/2" x WOF strips *, BORDER
	Н	<b>BUTTON GEO</b> 9954-84 <i>Turquoise</i>	1/4 YD	(2) 6-1/2" X 8-1/2" rectangles					


## **BLOCK ASSEMBLY:** Refer to **BLOCK DIAGRAMS**

- Draw diagonal line on the wrong side of P 2-1/2" squares. Place P square right sides together on one side of N 2-1/2" X 10-1/2" strip, then sew on diagonal line. Trim 1/4" away from sewn line, then flip and press open to create PN1 UNIT. Square to 2-1/2" X 10-1/2". Make (22).
- 2. Repeat Step 1 to create **PN2 UNITS**, noting the change of direction of the stitching line. Square to 2-1/2" X 10-1/2", make (22).
- 3. Sew (1) P 2-1/2" X 8-1/2" strip to the left side of (1) A 6-1/2" X 8-1/2" rectangle, then sew (1) P 2-1/2" X 8-1/2" strip to bottom. Sew (1) PN1 UNIT to right side, then sew (1) PN2 UNIT to top to complete BLOCK 1A. Square to 10-1/2" X 12-1/2", make (2).
- 4. Repeat Step 3 using **B**, **G**, **H**, and **J** rectangles to create **BLOCKS 1B**, **1C**, **1D**, and **1E**. Square all to 10-1/2" X 12-1/2", make (2) each.

### **BLOCK DIAGRAMS**









#### **BLOCK ASSEMBLY** (continued): Refer to BLOCK DIAGRAMS

- 4. Sew (1) F 2-1/2" X 8-1/2" strip to the bottom of (1) C 6-1/2" X 8-1/2" rectangle, then sew (1) F 2-1/2" X 8-1/2" strip to left side. Sew (1) PN2 UNIT to top, then sew (1) PN1 UNIT to right side to complete BLOCK 2A. Square to 10-1/2" X 12-1/2", make (2).
- 5. Repeat Step 5 using **D**, **E**, **K**, **L** and **M** rectangles to create **BLOCKS 2B**, **2C**, **2D**, **2E** and **2F**. Square all to 10-1/2" X 12-1/2", make (2) each.



**BLOCK DIAGRAMS** 



#### QUILT ASSEMBLY: Refer to QUILT DIAGRAM for proper block placement and rotation.

6. Sew blocks together into vertical rows, then sew rows together.

ROW 1: 1A - 1D - 1B - 1C -1E ROW 2: 2C - 2B - 2F - 2A - 2D - 2E ROW 3: 1E - 1C - 1B - 1D - 1A

ROW 4: 2E - 2D - 2A - 2F - 2B - 2C

BORDER ASSEMBLY: Measure width and length of quilt top to ensure border cutting sizes. Below are our measurements

- 7. Sew (1)  $\mathbf{F} \cdot 1 1/2'' \times (60 1/2'')$  strip to each side of quilt, then sew (1)  $\mathbf{F} \cdot 1 1/2'' \times (46 1/2'')$  strip to top and bottom of quilt.
- 8. Sew (1) P 2-1/2" X (62-1/2") strip to left side of quilt, then sew (1) P 2-1/2" X (48-1/2") strip to bottom of quilt.
- 9. Similar to the construction of **PN UNITS**, make **RIGHT BORDER UNIT** using (1) **P** 2-1/2" square and (1) **N** 2-1/2" X (64-1/2") strip, then sew to right side of quilt.
- 10. Make **TOP BORDER UNIT** using (1) **P** 2-1/2" square and (1) **N** 2-1/2" X (50-1/2") strip, then sew to top of quilt. (Refer to **QUILT DIAGRAM** for proper rotation of **P** corner on both the **RIGHT** and **TOP BORDER UNIT**)

#### FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with **F** fabric.

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

Share your finished quilt with the Benartex community on social media by tagging **#benartex\_fabrics** 











Also visit our Sewing Group on Facebook, Sew Interesting

